

Modular Air Suspension Centrifugal Blower Customised PM2.5 For Your System

Basic Information

- Place of Origin:
- Brand Name:
- Aipu Air Suspension Blowers

Negotiable

T/T, L/C

Export Standard Packaging

China

1

- Model Number:Minimum Order Quantity:
- Price:
- Packaging Details:
- Payment Terms:



Product Specification

- Flow Range:
- Boost:
- Temperature:
- Filter Density:
- Filtration Accuracy:
- Filtration Efficiency:
- Highlight:

5-500m³/min 5-120kPa Up To 60°C F8 PM2.5

- Up To 85 Per Cent
- modular air suspension centrifugal blower, air suspension centrifugal blower customised, modular air bearing blower



Modular Air Suspension Blowers - Customised for Your System

Product Description

Product Overview

Designed with a flexible, modular architecture, these air suspension blowers can be easily configured and scaled to meet the precise airflow requirements of any industrial process or system. By leveraging a standardized platform of interchangeable components, users can customize blower capacity, pressure, and mounting dimensions to perfectly integrate with their unique application needs - streamlining installation, simplifying maintenance, and ensuring optimal performance. Key Technical Features

Modular Blower Design

Standardized components allow for flexible configuration and scaling

Wide selection of airflow capacities, pressure ratings, and physical sizes available Enables seamless integration into diverse industrial process systems

Efficient Air Bearing Suspension

Frictionless air bearing technology eliminates the need for mechanical lubrication Provides silent, vibration-free operation to support sensitive environments Ensures long-lasting reliability with minimal maintenance requirements Optimized Airflow Performance

Advanced aerodynamic flow path maximizes output while minimizing losses Variable frequency drive enables precise adjustment and optimization of air supply Delivers stable, high-performance airflow tailored to specific process needs Integrated Control and Monitoring

Centralized PLC and HMI enable comprehensive oversight of multi-blower systems Synchronized control logic allows for intelligent coordination and load balancing Remote access and analytics ensure 24/7 optimization of the entire air supply Key Advantages

Flexible, modular design supports easy customization and system integration Efficient air bearing technology ensures reliable, low-maintenance operation Optimized airflow performance meets the exact requirements of any application Advanced control and monitoring capabilities maximize productivity and uptime

Foll Bearing Technology

Foil bearing has physical contact between therotor and the bearing before starting, therelative movement of the rotor and the bearinggenerates air pressure when starting, when therotor rotates, the speed of the air around therotor can be converted into pressure energy, and the air pressure makes the rotor float when therotor reaches a certain rotation speed and playsa lubricatingrole. Foil bearing technologyeffectively solves the problems of lowefficiency, short life, and the need forregularmaintenance and lubrication of the traditionalmechanical support transmission system.



Air Suspension Bearing High Speed Centrifugal Blower Series Selection

Air Flow (m/min):1atm,20°C,65%RH, density=12kg/m3, Tolerance=+5%

model	Outlet pressure (bar)									power	Weight	Outlet calibre	Dime	nsion	(mm)
number															
	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1	1.2	kw	ka	PN1.0 MPa	aldor	width	height
	Inle	Inlet Flow(m ³ /min)									kg	FINI.U MPa	eidei	width	rieigni
ZGK15	24	17	14	13	10	/	/	/	1	15	300	DN150	1300	800	1230
ZGK22	36	29	24	21	18	16	1	/	1	22	310				
ZGK30	49	39	33	28	25	22	1	/	1	30	330				
ZGK37	62	48	41	35	31	28	25	22	19	37	350				
ZGK45	78	62	51	45	31	34	32	28	23	45	550	DN200	1500	1100	1580
ZGK55	94	76	60	54	47	40	38	34	28	55	630				
ZGK75	124	95	76	69	63	55	49	45	37	75	650				
ZGK90	157	120	95	86	79	69	62	56	46	90	830				

ZGK110	190 150 11	5 104 93 85 72	67 57 11	880 DN300	1500 1100 1580
ZGK132	221 170 13	612210899 86	79 67 132	930	
ZGK150	252 190 15	61401221129	90 77 150	1450 DN300	1800 1500 2080
ZGK185	314 230 19	0171155136124	11291 185	1720	
ZGK225	380 290 22	820818316414	5132111225	2140 DN400	2300 1700 2140
ZGK300	504 378 31	2276243220198	3181150300	2320	230017002140

When the atmospheric conditions and medium are varied, the relative performance conversion calculation will be different, we can re-designed in accordance with the requirement of users to adape to different working condition. There are two cooling methods for air suspension centrifugal blower: self-circulating water cooling and forced air cooling. If you have special requirements on the cooling mode, please tell us in advance.







Scope of application

It is suitable for sewage treatment industry, petrochemical industry, food and drug industry, textile industry, metallurgy industry, cement and construction materials industry, printing and dyeing industry and other industries.

Market Distribution

We have 42 offices throughout the country, in addition to Taiwan Province, 33 provinces in the country's ad-ministrative regions have a sound sales and service network. We can provide you with pre-sale, in-sale and after-sales service in a timely and convenient manner, understand your needs, and constantly improve the service and quality system while meeting the customized needs of customers.

High Performance Aerodynamic Design Methodology for Wide Service Conditions

By studying the influence of impeller and volute flow on efficiency and working stability, the R&D team proposed a flow control method and a pneumatic optimization design method to improve the performance of the main engine, which greatly improved the efficiency of the main engine.

Manufacturing & Equipment Base

has built laboratories, R& D buildings, processing workshops, etc., with internationally advanced and China leading high-precision processing equipment.



High power density permanent magnet synchronous motor technology

Based on the thermal multiphysics coupling design technology of electro magneticmachine, the R&D team independently developed a permanent magnet synchronous motor (PMSM); Through the electromagnetic optimization design technology of high speed permanent magnet motor coordinated with the control strategy, the problems of large rotor heat, high torque ripple and large motor noise are solved, so that it has the advantages of high reliability, high temperature resistance and low wind resistance loss. The design and process of rotor structural integrity were overcome, and a permanent magnet synchronous motor with high power density, low cost and high efficiency was developed.



Yixing Yicheng Street Hardware Electromechanical City, Phase I, Block 5, District 3, 8071