

Multi functional and powerful integrated air compressor with built-in refrigerated dryer suitable for industrial and commercial needs

Basic Information

Place of Origin: China

• Brand Name: Aipu

Model Number: GDK07-22TAS

Minimum Order
Oughtity:

1PC

Quantity:

• Price: negotiable

Packaging Details: container

Delivery Time: 10Payment Terms: tt

• Supply Ability: 10000t/y



Product Specification

• Exhaust Pressure: 7-12.5barg

• Air Flow: 0.81-3.7m³/min

• Type: Integrated Air Compressor With Built-in

Refrigerated Dryer

• Rated Power: 7.5kW-22kW

• Noise Level: ≤80dB(A)

• Weight: 457-871kg

Product Description:

The GDK07-22TAS built-in refrigerated dryer integrated air compressor is an efficient, energy-saving, and compact compressed air solution that integrates the air compressor with a refrigerated dryer (refrigerated dryer), eliminating the hassle of external drying equipment and significantly saving installation space. At the same time, it ensures that the output compressed air is clean and dry, meeting the industrial demand for high-quality air sources.

Core Features:

Excellent Host



Adopting Ingersoll Rand host for comprehensive performance improvement

Geometric and lubrication optimization of gears to achieve lower noise and higher reliability

Dynamic simulation optimization of the intake and exhaust channels of the host to reduce pressure drop and improve efficiency **Innovative design**

Intake: The perfect combination of high-efficiency intake filter and ultra-low pressure loss intake valve reduces pressure loss and improves efficiency

Drive: Adopting IEC standard high-efficiency motor, gear direct transmission mode, no vulnerable parts, more efficient

Exhaust: The convenient top exhaust device can easily guide the air, making it easy to eliminate or recover waste heat

Intelligent control



Touch screen color display

Embedded IoT functionality

Multi machine joint control

Standard Modbus, remote/local monitoring

Multi detection security protection

Host exhaust temperature detection

Pressure detection before and after oil separation

Maintenance Tips

Variable frequency energy-saving

No peak starting current, completely eliminating energy consumption during unloading

Variable frequency starting current is low and has no impact on the power grid, which is particularly important for users in unstable areas of the power grid. Variable frequency control maintains the pressure band within 0.1 bar without the need for large gas storage tanks. The pressure will not exceed the required value, and there is no energy waste

The low starting torque of the motor has minimal impact on mechanical components, resulting in a longer service life of mechanical components (such as bearings). The torque is transmitted according to actual needs without wasting excess energy

Safe motor (power frequency unit)



IP55 closed motor (F-class insulation, B-class temperature rise), effectively dustproof and water-resistant Can operate continuously and stably in an environment of 55 /131

Permanent magnet motor (frequency converter unit)



Compared with asynchronous motors, rare earth permanent magnet motors have a simpler structure

Single, reliable operation, high power density, wide speed range, it is the ideal power choice for high-efficiency and energy-saving air compressors

efficient

Small size and light weight

Low noise

High starting torque

Start without impact

Wide speed range

Configure efficient IE5, IP66 oil cooled permanent magnet variable frequency motor, achieving H-level insulation and B-level temperature rise

Connection method of host motor

GDK07-22 power frequency unit adopts belt connection

GDK30-75 power frequency unit adopts gear direct connection

GDK07-75 permanent magnet frequency converter unit adopts coaxial connection

Exquisite design, excellent performance, energy-saving and environmentally friendly, on-site micro oil screw permanent magnet variable frequency air compressor

Efficient Drive System

The host is precision manufactured, sturdy and durable

Coaxial connection of the host motor for higher transmission efficiency

Without gearbox and coupling, the drive system structure is more stable

Oil cooled permanent magnet synchronous motor

High quality permanent magnets are selected, which can withstand temperatures up to 180 .

The rotor has no excitation current, significantly improving efficiency.

The starting current is small, reducing the impact on the power grid.

Good performance indicators, with approximately constant efficiency and power factor.

Powerful frequency converter

Built in frequency converter, unique air duct design, stable and reliable

Adopting cutting-edge vector control technology, it has excellent low-frequency speed characteristics and dynamic response characteristics, and complete protection functions, which can achieve comprehensive protection from the frequency converter to the motor

Safe lightning protection design with built-in lightning overcurrent protection device effectively enhances the self-protection capability of the frequency converter against induced lightning

The S series permanent magnet frequency converter brings you Start smoothly

No peak starting current

Completely eliminating energy consumption during unloading and reducing the burden on electrical components

The low starting current of frequency conversion has no impact on the power grid, which is particularly important for users in factories located in unstable areas of the power grid

Stable output pressure

Variable frequency control maintains the pressure band within 0.1 bar without the need for a large gas storage tank

The pressure will not exceed the required value, and there is no energy waste

No startup impact

The low starting torque of the motor has minimal impact on mechanical components, resulting in longer service life of mechanical components such as bearings

Transmit torque according to actual needs without wasting excess energy

IConn Intelligent Connected Cloud

Unit operating parameter report and reporting function

Real time data based monitoring of unit operation status, fault alarms, and event notifications

Problem diagnosis based on predictive analysis

Energy consumption and reliability diagnostic analysis



IConn Intelligent Connected Cloud aims to maximize normal operating time and enable homeowners to achieve real-time data management of compressed air systems with peace of mind. The advanced sensor technology inside the compressor regularly sends data to our cloud platform, which can be accessed from your personal computer, tablet, or smartphone to keep you informed of the machine's operation at any time. We provide layered service content, and you can choose the level of data monitoring and analysis

according to your specific operational needs.

Enjoy numerous benefits

Real time operational data can be obtained anytime, anywhere

Powerful data analysis helps the operation and maintenance team maintain the ideal operational performance of the air compressor and reduce the risk of downtime due to malfunctions

Equipment maintenance notifications help ensure equipment reliability and extend service life

Real time monitoring provides useful data and facilitates communication, thereby improving productivity and mechanical efficiency

Sending proactive service alerts via email; Regularly provide regular data and access it through an online customer portal

If there is an abnormal situation with the compressor, your Ingersoll Rand authorized service provider will immediately receive an alarm and respond proactively, ensuring that your assets are safe and sound

New devices of specific models can be included as standard equipment at the factory, or existing devices can be upgraded as part of the CARE service contract



Reduce planned downtime

Better performance of the unit



Visual maintenance

The maintenance plan is clear at a glance, Be in control



Timely maintenance and upkeep

Extend the service life of



Online unit status monitoring

Improve productivity and mechanical efficiency



Reduce the risk of downtime due to malfunctions

Reduce unplanned downtime



Quickly contact product experts

Provide better professional insights

Application area

1. Precision manufacturing and electronics industry

Semiconductor and chip manufacturing require compressed air that is oil-free, waterless, and dust-free to prevent oxidation or contamination of precision components.

Electronic component assembly: Dry air can prevent circuit boards from getting damp and improve product yield.

Production of optical lenses and display screens: To prevent issues such as fogging and coating detachment caused by water vapor on the lenses or screens.

2. Pharmaceutical and Food Beverage Industry

Pharmaceutical production: used for sterile filling and packaging equipment to prevent microbial growth.

Food processing: such as bottling and canning production lines, ensure that compressed air is free of oil and moisture pollution.

Biological laboratory: Provide stable and clean gas source to avoid experimental data deviation.

3. Spraying and surface treatment industry

Car spraying: prevent water bubbles and particles from appearing on the paint surface, and improve the spraying quality.

Furniture painting: Ensure uniform coating adhesion and reduce rework rate.

Electroplating and anodizing: Avoid moisture affecting the adhesion of the coating.

4. Pneumatic tools and automation equipment

Mechanical processing: Drive CNC machine tools, pneumatic fixtures, etc. to reduce tool corrosion.

Packaging machinery: such as filling machines and labeling machines, to avoid air path blockage or component damage.

Robot automation: providing reliable power sources for robotic arms and conveyor systems.

5. Other industrial sectors

Textile industry: used for jet looms to prevent yarn breakage.

Electric energy: provides a dry gas source for instrument control and valve drive.

Chemical industry: corrosion-resistant design, suitable for harsh working conditions.

Product functions and specifications

Model	Motor Power kW	Exhaust pressure bar(g)	Volume flow m3/min	External dimensions (L x W x H)mm	Weight kg	Air receiver L
GDK07-22TAS po	wer frequency u	nit parameters				
GDK07-7ATAS	7.5	7	1.22			
GDK07-8ATAS	7.5	8	1.14	1576×844×1644	457	272
GDK07-10ATAS	7.5	10	1			
GDK07-12.5ATAS	7.5	12.5	0.81			
GDK11-7ATAS	11	7	1.69			
GDK11-8ATAS	11	8	1.58	1576×844×1644	460	272
GDK11-10ATAS	11	10	1.41			
GDK11-12.5ATAS	11	12.5	1.23			
GDK15-7ATAS	15	7	2.5			
GDK15-8ATAS	15	8	2.4	1596×1246×1805	812	350
GDK15-10ATAS	15	10	2.07			
GDK15-12.5ATAS	15	12.5	1.7			
GDK18-7ATAS	18.5	7	3.1			
GDK18-8ATAS	18.5	8	3	1596×1246×1855	856	350
GDK18-10ATAS	18.5	10	2.61			
GDK18-12.5ATAS	18.5	12.5	2.15			
GDK22-7ATAS	22	7	3.7			
GDK22-8ATAS	22	8	3.6	1596×1246×1855	871	350
GDK22-10ATAS	22	10	3.08			
GDK22-12.5ATAS	22	12.5	2.72			

Packing and Shipping:

Product Packaging:

The Integrated air compressor with built-in refrigerated dryer comes in a sturdy cardboard box with the product image and specifications printed on the outside. Inside, the product is securely packaged with foam inserts to prevent any damage during transportation.

Our standard shipping time is 3-5 business days. For expedited shipping, please contact our customer service team. We ship via trusted carriers such as UPS, FedEx, and USPS and provide a tracking number for your convenience.

FAQ:

- Q: What is the brand name of this product?
- A: The brand name of this product is Aipu.
- Q: What is the model number of this product?
- A: The model number of this product is Integrated air compressor with built-in refrigerated dryer.
- Q: Where is this product made?
- A: This product is made in China.
- Q: Does this product have any certifications?
- A: Yes, this product is certified by ce.ul.
- Q: What is the minimum order quantity for this product?
- A: The minimum order quantity for this product is 1pc.
- Q: Is the price of this product negotiable?
- A: Yes, the price of this product is negotiable.
- Q: What is the packaging details for this product?
- A: The packaging details for this product is container.
- Q: How long is the delivery time for this product?
- A: The delivery time for this product is 30 days.
- Q: What are the payment terms for this product?
- A: The payment terms for this product is tt.
- Q: What is the supply ability of this product?
- A: The supply ability of this product is 10000t/y



Aipu Yixing Aipu Air System Equipment Co., Ltd



13771572002



183426306@qq.com



aipukqdl.com